

## PLANTING SUGGESTIONS FOR RAIN GARDENS AND GENERAL LANDSCAPES

Plant Common Names	Scientific Names	deer resistant	FullSun/PartSha de /Full Shade	Flower/ Bloom	Height/ Spread (ft)	Soil Hyd.	Drought tolerance	Growth Rate	Bloom Period Spr/S/F/W
<b>GRASS/ GARDEN BASE</b> most wet conditions									
<u>Common Rush</u>	Juncus effusus	high	FS	yellow/ green	2-4 / 2-4	Moist-Wet	med	med	Spr-S
<u>Feather Reed Grass</u>	Calamagrostis x acutiflora	high	FS to Sh	green	3-5 / 1-3	Moist	med	fast	S

<b>GRASS/ GARDEN SLOPE</b> moist conditions									
<u>Big Bluestem</u>	Andropogon gerardii	med	FS	none	4-8 / 2-3	Dry-Moist	med	slow	S-F
<u>Indian Grass</u>	Sorghastrum nutans	high	FS	yellow/ brown	3-5 / 1-4	Dry-Moist	med	fast	S-W
<u>Switch Grass</u>	Panicum virgatum	high	FS-PSh	pink	1-5 / 1-5	Dry-Wet	med	fast	S-W
<u>Virginia Wild rye</u>	Elymus virginicus	high	FS to Sh	green	2-4 / 1-2	Dry-Wet	med	fast	S-F

<b>GRASS/ GROUNDCOVERS GARDEN BUFFER</b> dryest conditions									
<u>Broomsedge</u>	Andropogon virginicus.	high	FS	red/yellow /brown	2-4 / 2-4	Dry-Moist	high	slow	S-F
<u>Kinnikinnick/ Bearberry</u>	Arctostaphylos uva-ursi	high	FS-PSh	pink/ white	0.5 -1 / 2-4	Dry	high	slow	Spr-S
<u>Little Bluestem</u>	schizachyrium scoparium	med	FS-PSh	blue- purple	2-4 / 1-2	Dry	high	med	S

<b>Switch Grass</b>	Panicum virgatum	high	FS-PSh	pink	1-5 / 1-5	Dry-Wet	med	fast	S-W
---------------------	------------------	------	--------	------	-----------	---------	-----	------	-----

PERENNIALS/ GARDEN BASE		most wet conditions							
<b>Boneset</b>	Eupatorium perfoliatum	high	FS-PSh	white	3-6/ 3-4	Moist-Wet	low	med	S-F
<b>Blue Lobelia</b>	Lobelia siphilitica	med	FS to Sh	blue-purple	2-3 / 1-1.5	Moist-Wet	low	med	S-F
<b>Blueflag Iris</b>	Iris versicolor	high	FS-PSh	blue-purple	2-2.5 / 2-2.5	Moist-Wet	none	slow	Late Spr
<b>Blue Vervain/Verbena</b>	Verbena hastata	med	FS-PSh	blue-purple	2-6 / 1-2.5	Moist-Wet	low	med	Spr-F
<b>Cardinal Flower</b>	Lobelia Cardinalis	med	FS to Sh	red	2-4 / 1-3	Moist-Wet	med	med	S-F
<b>Giant Purple Hyssop</b>	Agastache scrophulariifolia	med	PSh-Sh	pink-purple-white	3-6 / 2-3	Moist-Wet	low	med-fast	Late S-F
<b>Joe Pye weed</b>	Eutrochium purpureum	high	FS-PSh	pink-purple	5-7 / 2-4	Moist	low	med	S-F
<b>March Margold</b>	Calthus palustris	high	FS-PSh	yellow	1-1.5 / 1-1.5	Moist-Wet	none	slow	Spr-S
<b>Monkey Flower</b>	Mimilus ringens	med	FS-PSh	purple	1-3 / .75-1	Moist-Wet	none	med	S
<b>Purple-headed sneezeweed</b>	Helenium flexuosum	high	FS-PSh	yellow	1.5-3 /1-2	Moist-Wet	low	med	Spr-S
<b>Royal Fern</b>	Osmunda regalis	high	PSh-Sh	fern	3-5 /2-3	Moist-Wet	low	med	X
<b>Spotted Joe Pye weed</b>	Eupatorium maculatum	med	FS-PSh	pink-purple	3-5 / 2-4	Dry-Wet	low	med	Late S-F

<b>swamp milkweed- Incarnata</b>	Asclepias incarnata	high	FS-PSh	pink	4-5 / 2-3	Dry-Wet	low	med	S
--------------------------------------	------------------------	------	--------	------	-----------	---------	-----	-----	---

PERENNIALS/ GARDEN SLOPE									
moist conditions									
<b>Blazing Star</b>	Liatris spicata	med	FS	purple	2-4 / .75-1	Dry-Moist	med	med	S
<b>Cinnamon Fern</b>	Osmunda cinnamonnea	high	PSh-Sh	fern	2-5 / 3-4	Moist-Wet	low	med	x
<b>Columbine</b>	Aquilegia spp.	high	FS-PSh	multi	1-3 / 1-1.5	Dry-Moist	high	med-fast	Spr-S
<b>Coreopsis</b>	Coreopsis	med	FS-PSh	red/orange / yellow	1-2 / 1-2	Dry-Moist	high	med	S
<b>Culver's Root</b>	Veronicastrum virginicum	med	FS-PSh	blue-white	2-6 / 2-4	Moist	low	slow-med	S
<b>Eastern Bluestar</b>	Amsonia tabernaemontana	med	FS-PSh	blue	2-3 / 2-3	Dry-Moist	med	med	Late Spr-S
<b>Goldenrod -Showy</b>	Solidago speciosa	med	FS-PSh	yellow	2-4 / 2-4	Dry-Moist	high	med	S-F
<b>New York Ironweed</b>	Vernonia noveboracensis	med	FS	purple	4-6 / 3-4	Dry-Moist	low	med	late S-F
<b>New England Aster</b>	Aster novae- angliae	med	FS-PSh	pink/ purple	2.5-6 / 2-3	Moist	low	med	late S-F
<b>New York Aster</b>	Aster novi-belgii	med	FS	purple	3-5 / 2-4	Dry-Moist	low	med	S-F
<b>Obedient Plant</b>	Physostegia Virginiana	med	FS-PSh	pink/ purple	3-4 / 2-3	Dry-Moist	med	med	S
<b>Pink tickseed</b>	Coreopsis rosea	high	FS-PSh	pink purp- yellow	1-2 / 1.5-2.5	Dry-Moist	low	med	Spr-F
<b>Scarlet Beebalm</b>	Monarda didyma	med	FS	red	2-4 / 2-3	Moist	none	med	Late Spr-S

PERENNIALS/ GARDEN BUFFER		most dry conditions							
<b><u>bee balm - Bergamot</u></b>	<i>Monarda fistulosa</i>	high	FS	pink-purple	2-5 / 2-3	Dry	med	med	S- F
<b><u>Blue False Indigo</u></b>	<i>Baptisia australis</i>	high	FS-PSh	purple	3-5 / 3-4	Dry	high	slow	Spr-S
<b><u>Butterfly Weed</u></b>	<i>Asclepias tuberosa</i>	med	FS	orange	1.503 / 1-2	Dry	high	slow	Spr-S
<b><u>Catmint</u></b>	<i>Nepeta cataria</i>	high	FS-PSh	purple	2-3 / 2-3	Dry-Moist	high	fast	Spr-S
<b><u>Garden Phlox</u></b>	<i>Phlox paniculata</i>	med	FS-PSh	pink-purple	2-4 / 2-3	Dry-Moist	low	med	S
<b><u>Goldenrod -Seaside</u></b>	<i>Solidago sempervirens</i>	med	FS	yellow	2-6 / 2-3	Dry	med	med	S-F
<b><u>Hyssop</u></b>	<i>Hyssopus officinalis</i>	high	FS-PSh	blue-purple	1.5-2 / 1-1.5	Dry	med	med	Spr-F
<b><u>Jacob's ladder</u></b>	<i>Polemonium reptans</i>	high	FS to Sh	pink-blue-purple	1-1.5 / 1-1.5	Moist-Wet	low	med	Spr
<b><u>Orange cone flower</u></b>	<i>Rudbeckia fulgida</i>	med	FS-PSh	orange-yellow	2-3 / 2-2.5	Dry-Moist	med	fast	Spr-F
<b><u>Purple Coneflower</u></b>	<i>Echinacea purpurea</i>	med	FS-PSh	pink-purple	2-4 / 1.5-2	Dry-Moist	med	med	S
<b><u>Smooth Oxeye</u></b>	<i>Heliopsis helianthoides</i>	high	FS	orange-yellow	3-5 / 1-4	Dry-Moist	high	med	S- F
<b><u>White wood aster</u></b>	<i>Eurybia divaricata</i>	high	PSh-Sh	white	1-2.5 / 1-2	Dry	med	med	S- F
<b><u>Wild Geranium</u></b>	<i>Geranium maculatum</i>	high	FS-PSh	pink-purple	1.5-2 / 1-2	Dry-Moist	med	med	Spr-S

**SHRUBS**  
**GARDEN BASE**      most wet  
conditions

<u>buttonbush</u>	Cephalanthus occidentalis	high	FS-PSh	white	6-15 / 5-8	Moist-Wet	med	med	Late Spr-S
<u>cranberry bush</u> <u>viburnum</u>	Viburnum opulus var. amer.	med	FS-PSh	white	6-12 / 8-12	Moist	none	slow	Spr-S
<u>inkberry</u> *	Ilex glabra	med	FS-PSh	wh-green/berry	6-8 / 8-10	Moist-Wet	low	slow	Spr
<u>winterberry</u>	Ilex verticillata	med	FS-PSh	gr-wh / red berry	6-12 / 6-10	Moist-Wet	low	med	Spr-S

SHRUBS GARDEN SLOPE		moist conditions							
<u>redosier (red twig)</u> <u>dogwood</u>	Cornus sericea	med	white	white	7-9 / 5-10	Dry-Wet	low	fast	Spr-S
<u>summersweet-</u> <u>Clethra</u>	Clethra alnifolia	med	FS to Sh	white	4-8 / 4-6	Dry-Moist	low	med	S
<u>winterberry</u>	Ilex verticillata	med	FS-PSh	gr-wh / red berry	6-12 / 6-10	Moist-Wet	low	med	Spr-S

SHRUBS GARDEN BUFFER		most dry conditions							
<u>Arrowwood</u>	Viburnum dentatum	med	FS-PSh	white-yellow	6-15 / 6-15	Dry-Moist	med	med	Spr-S
<u>New Jersey tea</u>	Ceanothus americanus	high	FS-PSh	white	3-4 / 3-5	Dry	high	slow	Spr-S
<u>red elderberry</u>	Sambucus racemosa	high	FS-PSh	white/red berry	8-12 / 8-12	Dry-Moist	med	fast	Spr-S
<u>Sheep laurel</u>	Kalmia angustifolia	high	FS-PSh	pink	1-3 / 1-5	Dry-Wet	med	slow	Spr-S
<u>Shrubby St. John's Wort</u>	Hypericum prolificum	high	FS-PSh	yellow	1-5 / 1-4	Dry-Moist	high	s-m	S

<u>Spicebush</u>	Lindera benzoin	med	FS to Sh	yellow-white	6-12 / 6-12	Dry	low	slow	Spr
sweet fern	Comptonia peregrina	high	PSh	none	2-4 / 4-6	Dry	high	slow	X

These are a list of suggested plantings, with specific locations within a rain garden/small bioretention basin

All plantings may be utilized in general landscaping practices as well.

Full recommended planting list may be found here: [LINK TO BE INCLUDED ONCE new list CODIFIED](#)